



## Limited 30 Year Paint Finish Warranty

This limited warranty ("Limited Warranty") is provided by Alucoil North America, LLC ("Alucoil") to \_\_\_\_\_ ("Owner") having offices at \_\_\_\_\_, and relates to the \_\_\_\_\_ ("Project") located at \_\_\_\_\_.

Alucoil North America, LLC ("Alucoil") warrants that the painted finish on the Product listed above will retain its Film integrity, Color and Chalk, as defined below, after the installation of the painted MCM consistent with the table attached hereto.

### Definitions:

1. Film Integrity shall be defined as the absence of peeling, checking, chipping or cracking, except for such crazing or slight cracking as may occur on tightly rollformed edges or brake bends at the time of forming the pre-painted sheet.
2. Color Change shall be defined as freedom from fade or change as warranted in  $\Delta E$  units calculated in accordance with ASTM D2244-02, paragraph 6.2.2 CIE  $L^*a^*b^*$ ,  $10^0$  Observer, specular included. Color Change is measured on an exposed painted surface that has been cleaned of surface soils and chalk and then compared to corresponding values measured on the original or unexposed coated surface.
3. Chalk or Oxidation shall be defined as a numerical rating as warranted when measured in accordance with the standard procedures specified in ASTM D4214-98.

THIS LIMITED WARRANTY IS SUBJECT TO THE FOLLOWING CONDITIONS AND LIMITATIONS. ALL OF THE FOLLOWING CONDITIONS AND ADDITIONAL CONDITIONS CONSTITUTE MATERIAL TERMS OF THIS LIMITED WARRANTY AND FAILURE TO SATISFY ANY ONE OR MORE ARE OF THE CONDITIONS OR ADDITIONAL CONDITIONS BY OWNER OR THEIR AGENTS OR REPRESENTATIVES SHALL RENDER THIS LIMITED WARRANTY NULL AND VOID AND RELEASE ALUCOIL FROM ITS OBLIGATIONS HEREUNDER.

### Limitations:

1. Non-uniform color changes that result from unequal exposure to sunlight and/or the elements are not covered by this Limited Warranty unless such color change meets the definition of Color Change above.
2. This Limited Warranty does not extend to, or cover: (a) damage to the Product occasioned by improper storage of the coated MCM prior to installation or moisture or other contamination detrimental to the Product because of improper packaging, handling, shipping, processing and/or installation; or (b) damage to the Product which suffers from improper forming, fabrication, cut edge exposure, corrosion of the substrate or any other condition between the substrate and coating which causes coating degradation or delamination or (c) any external contaminant or condition which causes coating degradation or delamination.





3. This Agreement shall be governed by and construed in accordance with the laws of the State of South Carolina, United States of America without giving effect to any choice of conflict of law provision or rule that would cause the application of the law of the jurisdiction other than South Carolina.

Alucoil North America, LLC

Signature: \_\_\_\_\_

By: Samuel Chastain – Vice President & General Manager

Date: \_\_\_\_\_



## WARRANTY TABLES

| Warranty in years for all Exposure Conditions  |                        |                                   |                                  |
|--|------------------------|-----------------------------------|----------------------------------|
| Type of Environment or Location  | Film Integrity (Years) | Color $\Delta E \leq 5.0$ (Years) | Chalking $\geq 8$ Rating (Years) |
| Residential, Commercial and School – Buildings used for habitation<br>Distribution Centers, Hotels, Shopping Malls, Office Buildings<br>Assembly Factories and Schools located in rural or residential areas | 20                     | 20                                | 20                               |
| Industrial – Steel mills, Power Generating Stations, Oil Fields, Oil Refineries, Ore Mines, Chemical Plants, Paper Mills, or other unusual environmental exposure  | 10                     | No Warranty                       | 7                                |
| Severe Marine – Less than one mile of salt water.<br><i>(Standard two coat system)</i>   | 15                     | 15                                | 15                               |
| Severe Marine – Less than one mile of salt water.<br>EXTENDED WARRANTY REQUIRES:<br>Thick film primer over steel, not required over aluminum<br>Clear coat required over both aluminum and steel             | 20                     | 20                                | 20                               |

THIS WARRANTY IS FOR PRODUCTS USED FOR TRIM AND SIDEWALL APPLICATIONS ONLY

THIS LIMITED WARRANTY APPLIES ONLY TO PRODUCTS SOLD BY ALUCOIL USED IN THE CONTINENTAL UNITED STATES, ALASKA, CANADA, AND MEXICO (HAWAII AND THE CARIBBEAN EXCLUDED) unless Alucoil specifically and in writing notifies the Customer otherwise prior to sale of the Product

Alucoil retains the right to determine the Environmental Location condition during a warranty investigation and may deem the specific warranty performance based on close proximity to one of the severe environmental conditions noted above.

This limited warranty is intended for use only for those applications shown above. Customer is required to consult with Alucoil before any installation takes place if this product is used for a different end use.

For the purpose of this Limited Warranty, Standard Colors use a group of pigments suitable for the majority of color matches. Some color requests cannot be formulated with durable pigments and will not carry the above mentioned warranty.

FOR ALL INDUSTRIAL APPLICATIONS - Customer is required to consult with Alucoil before any installation takes place and Alucoil reserves the right to change the terms of this warranty based on the findings of such environmental exposures and/or conditions.

FOR ALL SEVERE MARINE APPLICATIONS - Owner is required by Alucoil to perform annual maintenance of the building in the form of a sweet water rinse (tap water). Owner is required to keep records of such maintenance for the warranty to be enforceable.